

Product Catalogue

Lifting Equipment Hoist Range

Contents

Page

Chain Block	1 & 2
Lever Hoist	2
Snatch Block Heavy Duty	3
Permanent Magnetic Lifter	3
Wire Rope Winch	4
Universal Plate Clamp	4
Horizontal Plate Clamp	5
Girder Clamp	5
Super Clamp Girder	6
Super Clamp Girderdog	6
Super Clamp Universal Clamp	7
Super Clamp Adjustable Beam Trolley	7
Girder Trolley Push Type	8
Girder Trolley Geared Type	8

Chain Blocks

Loadset Chain Blocks


Robust all steel chain blocks suitable for all industrial applications.

SPECIAL FEATURES:

- Loadset brand quality
- Proof Loaded to 1.5 Times WLL
- Heavy duty bolt through design
- Galvanised load and hand chain
- Cast steel safety latches
- Durable paint finish
- Bottom hook fitted with bearing
- Standard chain lengths 3mtr & 6mtr with longer drops available on request



CODE	WLL TONNE	HEIGHT OF LIFT METRES	OVERLOAD PROTECTION	A	B	C	D	HMIN	WEIGHT KG
CBL05X3LS	0.5	3	Yes	148	132	23	35	345	9.3
CBL05X6LS	0.5	6	Yes	148	132	23	35	345	14
CBL1x3LS	1	3	Yes	172	151	26	40	376	12.2
CBL1X6LS	1	6	Yes	172	151	26	40	376	17
CBL1x9LS	1	9	Yes	172	151	26	40	376	21.8
CBL2x3LS	2	3	Yes	210	175	34	50	470	19.5
CBL2x6LS	2	6	Yes	210	175	34	50	470	26.1
CBL3x3LS	3	3	Yes	230	177	39	55	265	27
CBL3x6LS	3	6	Yes	230	177	39	55	265	36
CBL3x10LS	3	10	Yes	230	177	39	55	265	45
CBL5x3LS	5	3	Yes	280	189	41	65	630	41
CBL5x6LS	5	6	Yes	280	189	41	65	630	56.6
CBL5X10LS	5	10	Yes	280	189	41	65	630	77.4
CBL10x3LS	10	3	Yes	385	189	50	85	780	78
CBL10x6LS	10	6	Yes	385	189	50	85	780	106.5
CBL10x9LS	10	9	Yes	385	189	50	85	780	135
CBL10x10LS	10	10	Yes	385	189	50	85	780	144.5
CBL15x6LS	15	6	Yes	405	242	80	110	820	157
CBL20x6LS	20	6	Yes	640	226	80	110	920	213
CBL30x6LS	30	6	Yes	705	454	80	110	1280	430



Chain Blocks Entertainment


Loadset Chain Blocks Entertainment

Robust all steel chain blocks suitable for all industrial applications.

SPECIAL FEATURES:

- Loadset brand quality
- Proof Loaded to 1.5 Times WLL
- Heavy duty bolt through design
- Galvanised load and hand chain
- Cast steel safety latches
- Durable black satin paint finish
- Bottom hook fitted with bearing
- Standard chain lengths 15mtr with longer drops available on request

CODE	WLL TONNE	HEIGHT OF LIFT METRES	OVERLOAD PROTECTION	A	B	C	D	HMIN	WEIGHT KG
CBL1x15LS	1	15	Yes	172	151	26	40	376	32



Lever Hoists


Loadset Lever Hoists

Robust all steel Lever Hoists suitable for all industrial applications.

SPECIAL FEATURES:

- Loadset brand quality
- Proof Loaded to 1.5 Times WLL
- Heavy duty bolt through design
- Galvanised load and hand chain
- Cast steel safety latches
- Durable painted finish
- Bottom hook fitted with bearing
- Standard chain lengths 3mtr & 6mtr with longer drops available on request

CODE	WLL TONNE	HEIGHT OF LIFT METRES	OVERLOAD PROTECTION	A	B	C	D	E	WEIGHT KG
LEV0250LS	0.25	1	No	245	85	92	160	25	1.8
LEV0500LS	0.5	1.5	No	330	80	105	300	25	4
LEV0800LS	0.8	1.5	Yes	365	140	157	245	26	7.9
LEV1600LS	1.6	1.5	Yes	400	145	178	325	31	10.9
LEV3200LS	3.2	1.5	Yes	520	199	206	405	37	14.4
LEV6300LS	6.3	1.5	Yes	595	230	206	405	46	35
LEV9000LS	9	1.5	Yes	800	342	206	405	55	50



Snatch Block Heavy Duty




Loadset Snatch Block Heavy Duty

Robust Construction suitable for Power on manual applications.

SPECIAL FEATURES:

- Loadset brand quality
- Heavy duty construction
- Fitted with grease nipple
- Swivel shackle head fitting
- Durable paint finish
- Conforms to the requirements of AS2089-2008

CODE	WLL TONNE	SHEAVE DIAMETER	WIRE ROPE DIAMETER MM	A	B	C	WEIGHT KG
SNAG02S	2	75	8-10	290	83	75	4
SNAG04S	4	150	10-13	415	160	75	9
SNAG08S	8	200	16-18	530	210	95	19
SNAG10S	10	250	18-20	680	260	115	35
SNAG12S	12	250	20-22	680	260	115	35
SNAG15S	15	300	24-26	890	310	135	65
SNAG22S	22	355	26-32	960	365	140	90
SNAG30S	30	500	32-38	1230	520	155	210
SNAG50S	50	600	44-52	1585	630	210	400



Permanent Magnet Lifter




Loadset Permanent Magnetic Lifter

Manufactured from high quality neodymium magnets

SPECIAL FEATURES:

- Loadset brand quality
- Heavy duty construction
- Safety factor 3.5 times WLL
- Durable paint finish
- Conforms to the requirements of AS4991

CODE	RATED CAPACITY	A	B	C	D	E	F	G	WEIGHT KG
LLM100	100Kg	110	150	70	67	63	35	32	4
LLM300	300Kg	180	155	80	80	72	40	38	9
LLM600	600Kg	250	198	107	103	88	60	55	20
LLM1000	1000kg	330	350	140	120	95	60	55	39
LLM2000	2000Kg	415	410	200	170	180	120	120	113



Wire Rope Winch

Loadset Wire Rope Winch

SPECIAL FEATURES:

- Loadset brand quality
- Heavy duty construction
- Safety factor 1.5 times WLL
- Durable paint finish
- Spare part available upon request
- Fitted with swivel self locking hook
- Conforms to the requirements of AS1418.2

CODE	RATED CAPACITY LIFTING	RATED CAPACITY PULLING	LEVER FORCE AT FULL LOAD KG	WIRE ROPE DIA MM	WIRE ROPE LENGTH M	WEIGHT WITHOUT CABLE KG	WEIGHT OF CABLE KG
TIR08LS	800kg	1250kg	34	8.3	20	7.5	8
TIR16LS	1600kg	2500kg	40	11	20	14.5	12
TIR32LS	3200kg	5000kg	44	16	20	23	24
TIR53LS	5300kg	8200kg	74	20	20	58	33




Universal Plate Clamps

Loadset Universal Plate Clamps

SPECIAL FEATURES:

- Loadset brand quality
- Heavy duty construction
- All steel construction
- Safety lock
- Hardened pressure plate and tongue
- Material hardness up to 37HRC
- Durable paint finish
- Conforms to the requirements of AS4991

CODE	RATED CAPACITY LIFTING	MAX JAW OPENING MM	V	T	L	U	WEIGHT KG
VPC05LS	500kg	15	103	212	36	30	2
VPC1LS	1000kg	20	138	294	50	48	4.8
VPC2LS	2000kg	25	164	370	52	68	6.5
VPC3LS	3000kg	30	193	418	78	74	15
VPC5LS	5000kg	50	240	450	88	80	23
VPC10LS	10,000kg						



LOADSET
SAFE LIFTING - SECURE LASHING

LOADSET
SAFE LIFTING - SECURE LASHING

Horizontal Plate Clamps

Loadset Horizontal Plate Clamps

SPECIAL FEATURES:

- Loadset brand quality
- Heavy duty construction
- All steel construction
- 1.5T Spring Close, 3T & 5T spring open
- Must be used in pairs
- Hardened pressure plate and tongue
- Material hardness up to 37RC
- Durable paint finish

CODE	RATED CAPACITY PER PAIR	MAX JAW OPENING MM	V	T	L	U	WEIGHT- PER PAIR KG
HPC15LS	1500kg	0-50	103	212	36	30	8.6
HPC30LS	3000kg	0-50	138	294	50	48	12
HPC50LS	5000kg	0-60	164	370	52	68	15




Girder Clamp

Loadset Girder clamps

SPECIAL FEATURES:

- Loadset brand quality
- Heavy duty construction
- Adjustable to suit girder width
- Lower eye swivel 50% WLL at 45 degree
- Aluminium ID plate
- Durable paint finish
- Conforms to the requirements of AS4991

CODE	WLL	BEAM FLANGE RANGE MM	MAX A	MAX B	MIN B	C	D	E	MAX F	MIN F	G	WEIGHT KG
GCL01LS	1000kg	75-230	284	375	180	80	4	218	160	102	45	4
GCL02LS	2000kg	75-230	284	375	180	90	6	218	160	102	45	5
GCL03LS	3000kg	80-320	365	498	220	117	8	271	240	168	58	9
GCL05LS	5000kg	80-320	365	498	220	127	10	271	240	168	58	11
GCL10LS	10,000kg	90-320	365	514	250	139	12	280	242	172	90	18
GCL20LS	20,000kg	250-450	475	703	500	240	16	465	396	350		60
GCL30LS	30,000kg	250-450	475	728	528	268	20	465	408	366		79



Super Clamps Swivel Jaw Adjustable Girder Clamp


Super Clamp Girder clamps are truly versatile and may be used for lifting, pulling, or as an anchor point.

SPECIAL FEATURES:

- Super Clamp brand quality
- Made in the UK
- Heavy duty construction
- Adjustable to suit girder width



CODE	WLL	JAW ADJUSTMENT MM	A	B	C	D	E	G	H	J	K	WEIGHT KG
RILEYS3A	5080kg	150-305	140	12.5	32	116	373	410	25	110	360	15
RILEYS4S	6096kg	203-427	140	12.5	42	116	498	560	25	110	459	18.8
RILEYS4A	10,160kg	203-427	140	20	42	118	498	560	32	112	476	28
RILEY12	15,241kg	203-457	170	20	50	116.5	611	660	40	185	616	49.5
RILEY14	15241kg	406-610	175	20	63	116.5	795	810	40	185	673	58.5



Super Clamps Fixed Jaw Adjustable Girderdog


Super Clamp fixed jaw adjustable girderdogs are truly versatile and may be used for lifting, pulling, or as an anchor point.

SPECIAL FEATURES:

- Super Clamp brand quality
- Made in the UK
- Heavy duty construction
- Adjustable to suit girder width



CODE	WLL	JAW ADJUSTMENT MM	JAW APERTURE MM	A	B	C	D	E	G	H	WEIGHT KG
RILEYS15	20,320kg	203-457	51	335	12.5	116	40	756	185	626	65.5
RILEYS16	20320kg	406-610	63	350	12.5	116	40	795	185	673	77
RILEYS17	25,400kg	203-427	51	335	15	130	45	611	192	621	75.5
RILEYS20	30,480kg	406-610	76	350	20	130	45	785	185	691	107




Super Clamps Universal Side Loading

Super Clamp Universal for side loading

SPECIAL FEATURES:

- Super Clamp brand quality
- Side loading and vertical use
- Made in the UK
- Heavy duty construction
- Adjustable to suit girder width

CODE	WLL	JAW ADJUSTMENT MM	A	B	C	D	E	G	H	J	K	L	WEIGHT KG
USC3A	3048kg	125-204	387	N/A	70	48	32	100	25.4	28	20	N/A	13.5
USC4	4064kg	125-305	518	10	70	48	32	100	25.4	28	10	10	23.5
USC5	5080kg	125-305	524	10	75	48	32	120	25.4	38	25	10	28.5
USC5D	10,160kg	125-305	524	10	75	102	32	120	25.4	38	25	12.5	33.5
USC5D400	10,160kg	225-400	624	10	75	102	32	120	25.4	38	25	12.5	43.1




Adjustable Runway Beam Trolleys

Super Clamp adjustable runway beam trolleys, incorporating Wheelguarding Anti-Drop Plates, Width Adjusting and Lifting Shackle.

SPECIAL FEATURES:

- Super Clamp brand quality
- Side loading and vertical use
- Made in the UK
- Heavy duty construction
- Adjustable to suit girder width

CODE	WLL	ADJUSTMENT WIDTH MM	C TO ACCOMADATE BEAM FLANGER THICKNESS MM	J INSIDE SHACKLE TO CROWN SPACER	WEIGHT KG
B1	3048kg	76-206	28	115	23.5
B2	6096kg	105-305	32	115	50
B3	10,160kg	160-305	38	115	74.5



Girder Trolley Push Type

Loadset Push Type Girder Trolley

SPECIAL FEATURES:

- Loadset brand quality
- Heavy duty construction
- Adjustable to suit girder width
- Aluminium ID plate
- Durable paint finish
- Conforms to the requirements of AS4991

CODE	WLL	BEAM FLANGE RANGE MM	B	C	H	E	F	WEIGHT KG
GTP0500LS	500kg	50-203	199	187	105	30	1.5-3	7
GTP1000LS	1000kg	64-305	246	222	125	38	1.5-3	11.5
GTP2000LS	2000kg	88-305	276	263	150	38	1.5-3	19
GTP3000LS	3000kg	100-305	332	309	171	40	1.5-3	29
GTP5000LS	5000kg	114-305	377	353	196	42	1.5-3	43
GTP10000LS	10,000kg	124-305	442	396	190	45	2-3.5	89

Single Pin Design, 10T Dual Pin

Girder Trolley Geared Type


Loadset Geared Type Girder Trolley

SPECIAL FEATURES:


- Loadset brand quality
- Heavy duty construction
- Adjustable to suit girder width
- Aluminium ID plate
- Durable paint finish
- Conforms to the requirements of AS4991

CODE	WLL	BEAM FLANGE RANGE MM	B	C	H	E	F	WEIGHT KG
GTG1000LS	1000kg	64-305	246	222	125	38	1.5-3	15.5
GTG2000LS	2000kg	88-305	276	263	150	38	1.5-3	23
GTG3000LS	3000kg	100-305	332	309	171	40	1.5-3	33
GTG5000LS	5000kg	114-305	337	353	196	42	1.5-3	48
GTP10000LS	10,000kg	203-305	442	396	190	45	2-3.5	94
GTP20000LS	20,000kg	136-305	555	498	233	58	2-3.5	174

Single Pin Design - 10T & 20T Dual Pin



PUSH TYPE



GEARED TYPE

Disclaimer:

Please check applicable operational manuals

This catalogue has been prepared specifically for customers of the publisher and as a general reference only. The information contained herein is subject to change without notice. This catalogue does not imply that any such parts are available for supply. This publication is protected by copyright and may not be reproduced or copied (using any method of reproduction or copying), sold, transmitted, circulated or otherwise forwarded to third parties, in whole or part, without prior written consent of the author.

All trade marks, registered and product names appearing herein are the property of their respective owners.